

# Textile Quick Reference

Sections: [Writing in Textile](#) | [Quick Block Modifiers](#) | [Quick Phrase Modifiers](#) | [Attributes](#) | [Lists](#) | [External References](#) | [Tables](#)

## Writing in Textile

A single paragraph. Followed by another.	→ A single paragraph. Followed by another.
I am <code>&lt;b&gt;very&lt;/b&gt;</code> serious.  <code>&lt;pre&gt;</code> I am <code>&lt;b&gt;very&lt;/b&gt;</code> serious. <code>&lt;/pre&gt;</code>	I am <b>very</b> serious.  → I am <code>&lt;b&gt;very&lt;/b&gt;</code> serious.
I spoke. And none replied.	→ I spoke. And none replied.
"Observe!"	→ "Observe!"
Observe -- very nice!	→ Observe—very nice!
Observe - tiny and brief.	→ Observe – tiny and brief.
Observe...	→ Observe...
Observe: 2 x 2.	→ Observe: 2×2.
one(TM), two(R), three (C).	→ one™, two®, three©.

## Quick Block Modifiers

h1. Header 1	→ <b>Header 1</b>
h2. Header 2	→ <b>Header 2</b>
h3. Header 3	→ <b>Header 3</b>
An old text	→ An old text A block quotation.

bq. A block quotation.  
Any old text

This is covered elsewhere [1]. → This is covered elsewhere<sup>1</sup>.

fn1. Down here, in fact. → <sup>1</sup> Down here, in fact.

### Quick Phrase Modifiers

I believe every word. → I *believe* every word.

And then? She *\*fell\**! → And then? She **fell**!

I know.  
I **\*\*really\*\*** know. → I *know*. I **really** *know*.

??Cat's Cradle?? by Vonnegut → *Cat's Cradle* by Vonnegut

Convert with @r.to\_html@ → Convert with r.to\_html

I'm -sure- not sure. → I'm ~~sure~~ not sure.

You are a +pleasant+ child. → You are a pleasant child.

a ^2^ + b ^2^ = c ^2^ →  $a^2 + b^2 = c^2$

log ~2~ x →  $\log_2 x$

I'm %unaware% of most soft drinks. → I'm unaware of most soft drinks.

I'm %{color:red}unaware% of most soft drinks. → I'm **unaware** of most soft drinks.

### Attributes

p(example1). An example → An example

p(#big-red). Red here → **Red here**

p(example1#big-red2). Red here → **Red here**

<pre>p {color:blue;margin:30px} . Spacey blue</pre>	→	Spacey blue
<pre>p[fr]. rouge</pre>	→	rouge
<pre>I seriously *{color:red} blushed* when I _(big)sprouted_ that corn stalk from my %[es]cabeza%.</pre>	→	I seriously <b>blushed</b> when I → <i>sprouted</i> that corn stalk from my <i>cabeza</i> .
<pre>p&lt;. align left</pre>	→	align left
<pre>p&gt;. align right</pre>	→	align right
<pre>p=. centered</pre>	→	centered
<pre>p&lt;&gt;. justified</pre>	→	justified
<pre>p(. left ident 1em</pre>	→	left ident 1em
<pre>p((. left ident 2em</pre>	→	left ident 2em
<pre>p))). right ident 3em</pre>	→	right ident 3em
<pre>h2()&gt;. Bingo.</pre>	→	<b>Bingo.</b>
<pre>h3()&gt;[no]{color:red}. Bingo</pre>	→	<b>Bingo</b>
<pre>&lt;pre&gt; &lt;code&gt; a.gsub!( /&lt;/, " ) &lt;/code&gt; &lt;/pre&gt;</pre>	→	a.gsub!( /</, ' ' )
<pre>&lt;div style="float:right;"&gt; h3. Sidebar "Hobix":http:// hobix.com/ "Ruby":http://ruby- lang.org/ &lt;/div&gt; The main text of the page goes here and will stay to the left of the sidebar.</pre>	→	The main text of the page goes here and will stay to the left of the sidebar. <b>Sidebar</b> <a href="#">Hobix</a> <a href="#">Ruby</a>

### Lists

# A first item  
# A second item  
# A third

→

1. A first item
2. A second item
3. A third

# Fuel could be:  
## Coal  
## Gasoline  
## Electricity  
# Humans need only:  
## Water  
## Protein

→

1. Fuel could be:
  1. Coal
  2. Gasoline
  3. Electricity
2. Humans need only:
  1. Water
  2. Protein

\* A first item  
\* A second item  
\* A third

→

- A first item
- A second item
- A third

\* Fuel could be:  
\*\* Coal  
\*\* Gasoline  
\*\* Electricity  
\* Humans need only:  
\*\* Water  
\*\* Protein

→

- Fuel could be:
  - Coal
  - Gasoline
  - Electricity
- Humans need only:
  - Water
  - Protein

### External References

I searched  
"Google":http://  
google.com.

→

I searched [Google](http://google.com).

I am crazy about  
"Hobix":hobix  
and "it's":hobix  
"all":hobix I ever  
"link to":hobix!

→

I am crazy about [Hobix](http://hobix.com) and [it's all](#) I ever [link to](#)!

[hobix]http://hobix.com

!http://hobix.com/  
sample.jpg!


→



!openwindow1.gif  
(Bunny.)!



!openwindow1.gif!http://hobix.com/




!>obake.gif!

And others sat all round the small machine and paid it to sing to them.



And others sat all round the small machine and paid it to sing to them.



We use CSS(Cascading Style Sheets).



We use CSS.

**Tables**

```
| name | age | sex |
| joan | 24 | f |
| archie | 29 | m |
| bella | 45 | f |
```



name	age	sex
joan	24	f
archie	29	m
bella	45	f

```
|_ . name |_ . age |_ . sex |
| joan | 24 | f |
| archie | 29 | m |
| bella | 45 | f |
```



<b>name</b>	<b>age</b>	<b>sex</b>
joan	24	f
archie	29	m
bella	45	f

```
|_ . attribute list |
|<. align left |
|>. align right|
|= . center |
|<>. justify |
|^ . valign top |
|~. bottom |
```



<b>attribute list</b>
align left
align right
center
justify

---

valign top  
bottom

---

|2. spans two cols |  
| col 1 | col 2 |

---

→ spans two cols  
col 1            col 2

---

|/3. spans 3 rows | a |  
| b |  
| c |

---

→ spans 3 rows

a
b
c

---

{background:#ddd}.  
Grey cell|

---

→ Grey cell

---

table{border:1px solid  
black}.  
|This|is|a|row|  
|This|is|a|row|

---

→

This	is	a	row
This	is	a	row

---

|This|is|a|row|  
{background:#ddd}. |  
This|is|grey|row|

---

→

This	is	a	row
This	is	grey	row

---